



ACCREDITATION CERTIFICATE

LB-TEST-237

Emirates International Accreditation Centre

has accredited

GERMAN MIRROR LUBRICANTS & GREASES CO. FZE

1E-02 Hamriyah Freezone Phase 1

Sharjah-United Arab Emirates

In accordance with the requirements of

ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories

to undertake the tests in the attached accreditation scope

This Accreditation is invalid without the attached accreditation scope and shall remain in force within the validity period printed below, subject to continuing compliance with the requirements of the accreditation criteria.

Validity: 23/12/2021 to 22/12/2024

Initial Accreditation Date: 23/12/2021




CHIEF EXECUTIVE OFFICER
APPROVAL



SGS

Certificate CH20/0025

The management system of

German Mirror Lubricants & Greases Co. FZE

P.O Box: 42405, Hamriyah Free Zone, Sharjah, United Arab Emirates.



has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

**Manufacturing & Distribution of Automotive Lubricants, Greases,
Marine lubricants & Automotive Speciality, Blow Moulding of
HDPE cans.**

This certificate is valid from 7 January 2020 until 5 January 2023
and remains valid subject to satisfactory surveillance audits
Recertification audit due before 9 December 2022
Issue 1. Certified since January 2017

Authorised by



SGS Société Générale de Surveillance SA
Technoparkstrasse 1 8005 Zurich Switzerland
t +41 (0)44 445-16-80 f +41 (0)44 445-16-88 www.sgs.com

Page 1 of 1



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Certificate CH20/0026

The management system of

German Mirror Lubricants & Greases Co. FZE

P.O Box: 42405, Hamriyah Free Zone, Sharjah, United Arab Emirates.



has been assessed and certified as meeting the requirements of

ISO 14001:2015

For the following activities

Manufacturing & Distribution of Automotive Lubricants, Greases, Marine lubricants & Automotive Speciality, Blow Moulding of HDPE cans.

This certificate is valid from 7 January 2020 until 5 January 2023 and remains valid subject to satisfactory surveillance audits
Recertification audit due before 9 December 2022
Issue 1. Certified since January 2017

Authorised by



SGS Société Générale de Surveillance SA
Technoparkstrasse 1 8005 Zurich Switzerland
t+41 (0)44 445-16-80 f+41 (0)44 445-16-88 www.sgs.com

Page 1 of 1



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS

Certificate CH20/0027

The management system of

German Mirror Lubricants & Greases Co. FZE

P.O Box: 42405, Hamriyah Free Zone, Sharjah, United Arab Emirates.



has been assessed and certified as meeting the requirements of

ISO 45001:2018

For the following activities

Manufacturing & Distribution of Automotive Lubricants, Greases, Marine lubricants & Automotive Speciality, Blow Moulding of HDPE cans.

This certificate is valid from 7 January 2020 until 6 January 2023 and remains valid subject to satisfactory surveillance audits
Recertification audit due before 9 December 2022
Issue 1. Certified since January 2020


This organisation was previously certified to OHSAS 18001 since April 2011

Authorised by



SGS Société Générale de Surveillance SA
Technoparkstrasse 1 8005 Zurich Switzerland
t +41 (0)44 445-16-80 f +41 (0)44 445-16-88 www.sgs.com

Page 1 of 1



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Statement of Quality


MIRR TURBO DIESEL ENGINE OIL API CH-4 SAE 15W-40

We hereby confirm that engine oil **MIRR TURBO DIESEL ENGINE OIL API CH-4 SAE 15W-40** formulated **LBB-14052-A** and blended with **Afton Chemical Ltd** additive package **HiTEC® 8766B** at **12.7%** mass meets the performance of:

Caterpillar ECF-1a

This statement is invalidated if the formulation and/or recommended blending procedures have been changed.

For Afton Chemical Ltd,



Kaldev Chaggar
Customer Technical Service

March 2014



Statement of Quality


MIRR TURBO PLUS DIESEL ENGINE OIL API CI-4 SAE 10W-40

We hereby confirm that engine oil **MIRR TURBO PLUS DIESEL ENGINE OIL API CI-4 SAE 10W-40** formulated **LBB-14053-A** and blended with **Afton Chemical Ltd** additive package **HiTEC® 8766B** at **12.7% mass** + **HiTEC® 8767B** at **3.3% mass** meets the performance of:

Caterpillar ECF-1a

This statement is invalidated if the formulation and/or recommended blending procedures have been changed.

For Afton Chemical Ltd,



Kaldev Chaggar
Customer Technical Service

March 2014



Statement of Quality


MIRR TURBO PLUS DIESEL ENGINE OIL API CI-4 SAE 15W-40

We hereby confirm that engine oil **MIRR TURBO PLUS DIESEL ENGINE OIL API CI-4 SAE 15W-40** formulated **LBB-14054-B** and blended with **Afton Chemical Ltd** additive package **HiTEC® 8766B** at **14.0%** mass meets the performance of:

Caterpillar ECF-1a

This statement is invalidated if the formulation and/or recommended blending procedures have been changed.

For Afton Chemical Ltd,



Kaldev Chaggar
Customer Technical Service

March 2014





May 20, 2014

Ronny Lobo
German Mirror Lubricants & Greases Co. FZE
P.O. Box 42405, IE 02,
Hamtiyah FREE ZONE,,
Sharjah, U.A.E.
info@germanmirror.com

Dear Ronny,

CONFORMANCE TO CES 20077 ENGINE OIL SPECIFICATION

Results from tests according to CES 20077 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20077 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20077. This letter may not be used as a Cummins Inc. endorsement of the product but may be used as proof that the product meets the specification.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents. Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: MIRR TURBO DIESEL OIL API CH-4 SAE 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel A. Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20077 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: February 27, 2014



November 14, 2013

Ronny Lobo
German Mirror Lubricants & Greases Co. FZE
P.O. Box 42405, IE 02,
Hamtiyah FREE ZONE,,
Sharjah, U.A.E.
info@germanmirror.com

Dear Ronny,

CONFORMANCE TO CES 20076 ENGINE OIL SPECIFICATION

Results from tests according to CES 20076 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20076 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20076.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: MIRR TURBO DIESEL OIL CH-4 15W-40 (LBB-14052-A)
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel A. Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20076 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006



November 14, 2013

Ronny Lobo
German Mirror Lubricants & Greases Co. FZE
P.O. Box 42405, IE 02,
Hamtiyah FREE ZONE,,
Sharjah, U.A.E.
info@germanmirror.com

Dear Ronny,

CONFORMANCE TO CES 20076 ENGINE OIL SPECIFICATION

Results from tests according to CES 20076 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20076 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20076.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: MIRR TURBO DIESEL OIL CH-4 15W-40 (LBB-14054-A)
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel A. Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20076 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006



August 11, 2014

Ronny Lobo
German Mirror Lubricants & Greases Co. FZE
P.O. Box 42405, IE 02,
Hamtiyah FREE ZONE,,
Sharjah, U.A.E.
ronny@germanmirror.com

Dear Ronny,

CONFORMANCE TO CES 20078 ENGINE OIL SPECIFICATION

Results from tests according to CES 20078 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20078 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20078. This letter may not be used as a Cummins Inc. endorsement of the product but may be used as proof that the product meets the specification.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents. Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: MIRR TURBO PLUS DIESEL OIL API CI-4 SAE 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel A. Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20078 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: February 27, 2014



November 14, 2013

Ronny Lobo
German Mirror Lubricants & Greases Co. FZE
P.O. Box 42405, IE 02,
Hamtiyah FREE ZONE,,
Sharjah, U.A.E.
info@germanmirror.com

Dear Ronny,

CONFORMANCE TO CES 20076 ENGINE OIL SPECIFICATION

Results from tests according to CES 20076 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20076 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20076.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: MIRR TURBO DIESEL OIL CH-4 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20076 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006

The engine company.



DEUTZ AG - 51057 Köln / Cologne - Deutschland / Germany

GERMAN MIRROR LUBRICANTS & GREASES Co. FZE

Mr. Ronny Lobo

Technical Quality

IE - 02 Hamriyah Freezone Sharjah

42405 Hamriyah Freezone Sharjah

United Arab Emirates

Markus Winkler

Engine Oils, Fuels & Laboratory Analysis

Ottostraße 1

51149 Köln (Porz-Eil)

Telefon: +49 (0) 221 822-4590

Telefax: +49 (0) 221 822-15-4590

E-Mail: winkler.m@deutz.com

Köln, 11.12.2013

Regarding: Your DQC II-10 release application

Dear Sir or Madam,

With reference to your release application of 2013-12-11 for the engine oil

MIRR TURBO PLUS DIESEL OIL API CH-4 SAE 15W40

Oil code: GMDO - 017 (LBB 14052-A)

DQC class: II-10

Viscosity class: SAE 15W-40

Sales region: Middle East, Far East, Africa

we hereby grant you the non-exclusive right to use the DQC mark for identification of these lubricating oils within the scope of sale of the released lubricating oils under the conditions of our Company Standard H 0685-3 (issue February 2011) which you have accepted without restrictions.

We recommend the claim language: Approved according DEUTZ DQC II-10.

This right only becomes effective with payment of the fee of 1000 Euro.

The right according to sentence 1 of this letter expires automatically on 2022-12-31. DEUTZ's right to revoke the right at any time for good reason remains unaffected.

Kind regards

A handwritten signature in blue ink, appearing to be "M. Zapp".

i.V. Dipl.-Ing. Manfred Zapp

A handwritten signature in blue ink, appearing to be "M. Winkler".

i.A. Dipl.-Ing. Markus Winkler

The engine company.



DEUTZ AG · 51057 Köln / Cologne · Deutschland / Germany

GERMAN MIRROR LUBRICANTS & GREASES Co. FZE
Mr. Ronny Lobo
Technical Quality
IE - 02 Hamriyah Freezone Sharjah
42405 Hamriyah Freezone Sharjah
United Arab Emirates

Markus Winkler
Engine Oils, Fuels & Laboratory Analysis

Ottostraße 1
51149 Köln (Porz-Eil)

Telefon: +49 (0) 221 822-4590
Telefax: +49 (0) 221 822-15-4590
E-Mail: winkler.m@deutz.com

Köln, 11.12.2013

Regarding: Your DQC III-10 release application

Dear Sir or Madam,

With reference to your release application of 2013-12-11 for the engine oil

MIRR TURBO PLUS DIESEL OIL API CI-4 SAE 10W40


Oil code:	GMDO - 020 (LBB 14053-A)
DQC class:	III-10
Viscosity class:	SAE 10W-40
Sales region:	Middle East, Far East, Africa

we hereby grant you the non-exclusive right to use the DQC mark for identification of these lubricating oils within the scope of sale of the released lubricating oils under the conditions of our Company Standard H 0685-3 (issue February 2011) which you have accepted without restrictions.
We recommend the claim language: Approved according DEUTZ DQC III-10.

This right only becomes effective with payment of the fee of 2000 Euro.

The right according to sentence 1 of this letter expires automatically on 2022-12-31. DEUTZ's right to revoke the right at any time for good reason remains unaffected.

Kind regards


i.V. Dipl.-Ing. Manfred Zapp


i.A. Dipl.-Ing. Markus Winkler

1/1

The engine company.



DEUTZ AG · 51057 Köln / Cologne · Deutschland / Germany

GERMAN MIRROR LUBRICANTS & GREASES Co. FZE

Mr. Ronny Lobo

Technical Quality

IE - 02 Hamriyah Freezone Sharjah

42405 Hamriyah Freezone Sharjah

United Arab Emirates

Markus Winkler
Engine Oils, Fuels & Laboratory Analysis

Ottostraße 1
51149 Köln (Porz-Eil)

Telefon: +49 (0) 221 822-4590
Telefax: +49 (0) 221 822-15-4590
E-Mail: winkler.m@deutz.com

Köln, 11.12.2013

Regarding: Your DQC III-10 release application

Dear Sir or Madam,

With reference to your release application of 2013-12-11 for the engine oil

MIRR TURBO PLUS DIESEL OIL API CI-4 SAE 15W40

Oil code: GMDO - 019 (LBB 14054-B)

DQC class: III-10

Viscosity class: SAE 15W-40

Sales region: Middle East, Far East, Africa

we hereby grant you the non-exclusive right to use the DQC mark for identification of these lubricating oils within the scope of sale of the released lubricating oils under the conditions of our Company Standard H 0685-3 (issue February 2011) which you have accepted without restrictions.

We recommend the claim language: Approved according DEUTZ DQC III-10.

This right only becomes effective with payment of the fee of 2000 Euro.

The right according to sentence 1 of this letter expires automatically on 2022-12-31. DEUTZ's right to revoke the right at any time for good reason remains unaffected.

Kind regards

i.V. Dipl.-Ing. Manfred Zapp

i.A. Dipl.-Ing. Markus Winkler

1/1

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90207 Nürnberg

German Mirror Lubricants & Greases Co. FZE

Mr. Ronny Lobo

P.O. Box 42405 Hamriyah FZE

Sharjah

United Arab. Emirates

Unser Hausruf
0911 420-2713

Unser Telefax
0911 420-1928

Abt/Kürzel
EPTAO, Dawidczak

Nürnberg,
16.03.2017

Prolongation of approval against M 3275-1

Start of approval: 27.03.2014

Prolongation of approval until: 26.03.2022

Marketing area United Arab of Emirates, Asia

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

MIRR Turbo Diesel Oil API CH-4 SAE 15W40

has been prolonged under MAN approval-no.

TUC 0124/14 for SAE 15W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above, unless an prolongation has been applied for in good time by the maker or supplier.

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Andrea Dawidczak

Vorsitzender des Aufsichtsrates: Andreas Renschler

Vorstand: Joachim Drees (Vorsitzender), Dr. Carsten Intra, Jan-Henrik Lafrentz, Ulf Berkenhagen, Heinz-Jürgen Löw, Josef Schelchshorn

Sitz der Gesellschaft: München

Commerzbank Aktiengesellschaft, Dachau

IBAN: DE33 7004 0041 0145 0600 00

Stadtsparkassen München

IBAN: DE36 7015 0000 0089 1044 00

BLZ 700 400 41 Konto 1450600

BIC: COBADEFFXXX

BLZ 701 500 00 Konto 89104400

BIC: SSKMDEMM

MAN Truck & Bus AG

Postfach 44 02 5 90207 Nürnberg

Vogelweiherstraße 33 90441 Nürnberg

Telefon +49 911 420-0 oder -Durchwahl

Telefax +49 911 420 446522

Wagenladungen: Nbg.-Rbf.

Lkw-Sendungen: Nbg.-Vogelweiherstr. 33

Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

www.man-mn.com

Ein Unternehmen der MAN Gruppe

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90207 Nürnberg

German Mirror Lubricants & Greases Co. FZE

Mr. Ronny Lobo

P.O. Box 42405 Hamriyah FZE

Sharjah

United Arab. Emirates

Unser Hausruf
0911 420-2713

Unser Telefax
0911 420-1928

Abt/Kürzel
EPTAO, Dawidczak

Nürnberg,
16.03.2017

Prolongation of approval against M 3275-1

Start of approval: 27.03.2014

Prolongation of approval until: 26.03.2022

Marketing area United Arab of Emirates, Asia

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

MIRR Turbo Plus Diesel Oil API CI-4 SE 15W40

has been prolonged under MAN approval-no.

TUC 0125/14 for SAE 15W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above, unless an prolongation has been applied for in good time by the maker or supplier.

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Andrea Dawidczak

Vorsitzender des Aufsichtsrates: Andreas Renschler

Vorstand: Joachim Drees (Vorsitzender), Dr. Carsten Intra, Jan-Henrik Lafrentz, Ulf Berkenhagen, Heinz-Jürgen Löw, Josef Schelchshorn

Sitz der Gesellschaft: München

Commerzbank Aktiengesellschaft, Dachau

IBAN: DE33 7004 0041 0145 0600 00

Stadtsparkassen München

IBAN: DE36 7015 0000 0089 1044 00

BLZ 700 400 41 Konto 1450600

BIC: COBADEFFXXX

BLZ 701 500 00 Konto 89104400

BIC: SSKMDEMM

MAN Truck & Bus AG

Postfach 44 02 5 90207 Nürnberg

Vogelweiherstraße 33 90441 Nürnberg

Telefon +49 911 420-0 oder -Durchwahl

Telefax +49 911 420 446522

Wagenladungen: Nbg.-Rbf.

Lkw-Sendungen: Nbg.-Vogelweiherstr. 33

Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

www.man-mn.com

Ein Unternehmen der MAN Gruppe

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90207 Nürnberg

German Mirror Lubricants & Greases Co. FZE

Mr. Ronny Lobo

P.O. Box 42405 Hamriyah FZE

Sharjah

United Arab. Emirates

Unser Hausruf
0911 420-2713

Unser Telefax
0911 420-1928

Abt./Kürzel
EPTAO, Dawidczak

Nürnberg,
16.03.2017

Prolongation of approval against M 3275-1

Start of approval: 27.03.2014

Prolongation of approval until: 26.03.2022

Marketing area United Arab of Emirates, Asia

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

MIRR Turbo Plus Diesel Oil API CI-4 SAE 10W-40

has been prolonged under MAN approval-no.

TUC 0123/14 for SAE 10W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above, unless an prolongation has been applied for in good time by the maker or supplier.

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Andrea Dawidczak

Vorsitzender des Aufsichtsrates: Andreas Renschler

Vorstand: Joachim Drees (Vorsitzender), Dr. Carsten Intra, Jan-Henrik Lafrentz, Ulf Berkenhagen, Heinz-Jürgen Löw, Josef Schelchshorn

Sitz der Gesellschaft: München

Commerzbank Aktiengesellschaft, Dachau

IBAN: DE33 7004 0041 0145 0600 00

Stadtsparkassen München

IBAN: DE36 7015 0000 0089 1044 00

BLZ 700 400 41 Konto 1450600

BIC: COBADEFFXXX

BLZ 701 500 00 Konto 89104400

BIC: SSKMDEMM

MAN Truck & Bus AG

Postfach 44 02 5 90207 Nürnberg

Vogelweiherstraße 33 90441 Nürnberg

Telefon +49 911 420-0 oder -Durchwahl

Telefax +49 911 420 446522

Wagenladungen: Nbg.-Rbf.

Lkw-Sendungen: Nbg.-Vogelweiherstr. 33

Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

www.man-mn.com

Ein Unternehmen der MAN Gruppe



Power. Passion. Partnership.

German Mirror Lubricants and Greases Co. FZE
Mr. Ronny Roman
1-E-02, Hamriyah Free Zone
Sharjah
UAE

Contact: Gudrun Keis
e-Mail: gudrun.keis@mtu-online.com

Tel. No.: +49 7541 90 2005
Fax No.: +49 7541 90 3973

Date: 31 July 2014
Ref.:

Approval of Mirr Turbo Plus Diesel Engine Oil API CI-4 SAE 15W-40

Dear Mr. Roman,

based on the information and test results you provided, as well as our laboratory analyses, the engine oil

**Mirr Turbo Plus Diesel Engine Oil API CI-4 SAE 15W-40
Oil Code**

**SAE 15W-40
GMDO-019**

which you submitted for approval meets the requirements for Oil Category 2 and is approved for use in all MTU engines (except Series 8000, 4000-04 C/R/T, 956 TB31/32/33/34 and 1163 TB32 Genset) and DDC engines Series 2000/4000.

The letter of approval does not cover Series 1800 engines.

The approval is valid until


August 2022.


For an extension of this approval, please inform us at least one month before expiration of the approval period.

Please note that any modification of the engine oil will invalidate the approval in accordance with our terms of approval (MTL 5044).

Yours sincerely

MTU Friedrichshafen GmbH


Schiprowski


Keller

MTU Friedrichshafen GmbH
Maybachplatz 1
88045 Friedrichshafen
Germany
T +49 7541 90-0
F +49 7541 90-5000
www.mtu-online.com

Vorsitzender des Aufsichtsrates | Chairman of the Supervisory Board
Lawrence Haynes

Geschäftsführung | Board of Management
Dr. Ulrich Dohle (Vorsitzender | President and CEO),
Dr. Michael Haidinger, Dieter Royal, Jörg Schwitalla

Sitz der Gesellschaft | Domicile Friedrichshafen
Handelsregister | Register Court Ulm, Nr. 1 No. HRB 630 227
USt-Ident-Nr. | V.A.T. No. DE 811121844

Bankverbindungen | Bank Details
Deutsche Bank AG Stuttgart:
(EUR, USD, GBP, CHF, CNY, NOK)
SWIFT/BIC DEUTDE33XXX
IBAN DE35 6007 0070 0162 9039 00
Commerzbank AG Friedrichshafen:
SWIFT/BIC COBADE33XXX
IBAN DE68 6514 0072 0170 0038 00



Power. Passion. Partnership.

German Mirror Lubricants and Greases Co. FZE
Mr. Ronny Roman
1-E-02, Hamriyah Free Zone
Sharjah
UAE

Contact: Gudrun Keis
e-Mail: gudrun.keis@mtu-online.com

Tel. No.: +49 7541 90 2005
Fax No.: +49 7541 90 3973

Date: 31 July 2014
Ref.:

Approval of Mirr Turbo Plus Diesel Engine Oil API CI-4 SAE 10W-40

Dear Mr. Roman,

based on the information and test results you provided, as well as our laboratory analyses, the engine oil

**Mirr Turbo Plus Diesel Engine Oil API CI-4 SAE 10W-40
Oil Code**

**SAE 10W-40
GMDO-20**

which you submitted for approval meets the requirements for Oil Category 2 and is approved for use in all MTU engines (except Series 8000, 4000-04 C/R/T, 956 TB31/32/33/34 and 1163 TB32 Genset) and DDC engines Series 2000/4000.

The letter of approval does not cover Series 1800 engines.

The approval is valid until

August 2022.

For an extension of this approval, please inform us at least one month before expiration of the approval period.

Please note that any modification of the engine oil will invalidate the approval in accordance with our terms of approval (MTL 5044).

Yours sincerely

MTU Friedrichshafen GmbH

Schiprowski

Keller

MTU Friedrichshafen GmbH
Maybachplatz 1
88045 Friedrichshafen
Germany
T +49 7541 90-0
F +49 7541 90-5000
www.mtu-online.com

Vorsitzender des Aufsichtsrates | Chairman of the Supervisory Board
Lawrence Haynes

Geschäftsführung | Board of Management
Dr. Ulrich Dohle (Vorsitzender | President and CEO),
Dr. Michael Haidinger, Dieter Royal, Jörg Schwitalla

Sitz der Gesellschaft | Domicile Friedrichshafen
Handelsregister | Register Court Ulm, Nr. 1 No. HRB 630 227
USt-Ident-Nr. | V.A.T. No. DE 811121844

Bankverbindungen | Bank Details
Deutsche Bank AG Stuttgart:
(EUR, USD, GBP, CHF, CNY, NOK)
SWIFT/BIC DEUTDE33XXX
IBAN DE35 6007 0070 0162 9039 00
Commerzbank AG Friedrichshafen:
SWIFT/BIC COBADE33XXX
IBAN DE68 6514 0072 0170 0038 00



Power. Passion. Partnership.

German Mirror Lubricants and Greases Co. FZE
Mr. Ronny Roman
1-E-02, Hamriyah Free Zone
Sharjah
UAE

Contact: Gudrun Keis
e-Mail: gudrun.keis@mtu-online.com

Tel. No.: +49 7541 90 2005
Fax No.: +49 7541 90 3973

Date: 31 July 2014
Ref.:

Approval of Mirr Turbo Diesel Engine Oil API CH-4 SAE 15W-40

Dear Mr. Roman,

based on the information and test results you provided, as well as our laboratory analyses, the engine oil

**Mirr Turbo Diesel Engine Oil API CH-4 SAE 15W-40
Oil Code**

**SAE 15W-40
GMDO-017**

which you submitted for approval meets the requirements for Oil Category 2 and is approved for use in all MTU engines (except Series 8000, 4000-04 C/R/T, 956 TB31/32/33/34 and 1163 TB32 Genset) and DDC engines Series 2000/4000.

The letter of approval does not cover Series 1800 engines.

The approval is valid until

August 2022.

For an extension of this approval, please inform us at least one month before expiration of the approval period.

Please note that any modification of the engine oil will invalidate the approval in accordance with our terms of approval (MTL 5044).

Yours sincerely

MTU Friedrichshafen GmbH

Schiprowski

Keller

MTU Friedrichshafen GmbH
Maybachplatz 1
88045 Friedrichshafen
Germany
T +49 7541 90-0
F +49 7541 90-5000
www.mtu-online.com

Vorsitzender des Aufsichtsrates | Chairman of the Supervisory Board
Lawrence Haynes

Geschäftsführung | Board of Management
Dr. Ulrich Dohle (Vorsitzender | President and CEO),
Dr. Michael Haidinger, Dieter Royal, Jörg Schwitalla

Sitz der Gesellschaft | Domicile Friedrichshafen
Handelsregister | Register Court Ulm, Nr. I No. HRB 630 227
USt-Ident.Nr. | V.A.T. No. DE 811121844

Bankverbindungen | Bank Details
Deutsche Bank AG Stuttgart:
(EUR, USD, GBP, CHF, CNY, NOK)
SWIFT/BIC DEUTDE33XXX
IBAN DE35 6007 0070 0162 9039 00
Commerzbank AG Friedrichshafen:
SWIFT/BIC COBADE33XXX
IBAN DE68 6514 0072 0170 0038 00

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

German Mirror Lubricants And
Greases FZE
Ronny Lobo
IE-02 Hamriyah Free Zone
Sharjah
United Arab Emirates

rl
11.08.16
1437-elf-sk
9-43156
9-32371

engine.oil.approvals.vw@r.wob@volkswagen.de

19.09.2017

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL:
TELEFAX
E-MAIL

DATUM

Engine Oil

Dear Mr Ronny Lobo,

Analysis of the engine oil

Mirr Alma Ultra Motor Oil SAE 5W-40 (Oil-Code: OR-F56000RL)

has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 502 00 and VW Standard 505 00"


Please note that this approval expires after 60 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUF SICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUF SICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
MATTHIAS MÜLLER –
VORSITZENDER

KARLHEINZ BLESSING
HERBERT DIESS
FRANCISCO J. GARCIA SANZ
JOCHIM HEIZMANN
CHRISTINE HOHMANN DENNHARDT
ANDREAS RENSCHLER
RUPERT STADLER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484



PORSCHE

Dr. Ing. h.c. F. Porsche Aktiengesellschaft - Postfach 1140 - D-71283 Weissach

German Mirror Lubricants & Greases Co. Fze
Attn.: Mr. Ronny Lobo
P.O.Box 42405
Hamriyah FZE
Sharjah, U.A.E

Dr. Ing. h.c. F. Porsche
Aktiengesellschaft
Porschestraße
D - 71287 Weissach
Tel. +49 (0) 7 11 / 9 11 - 843 10
Telefax +49 (0) 7 11 / 9 11 - 821 47
Email hans-peter.deeg@porsche.de

Our reference

EAS4 / DG / KA

Date

March 4, 2014

Motor Oil Approval (988/84-014)

Porsche Reference No.	2014/02/1099
Oil company	German Mirror Lubricants & Greases Co. Fze
Oil product name	MIRR ALMA SUPER PLUS API SM
SAE viscosity	5W-40
Oil code	GMMO - 038
Start of approval	March 1, 2014
End of approval	February 28, 2023
Marketing area	worldwide

Dear Mr. Lobo,

Based on the information given by your company and our analysis, PORSCHE is giving its approval according to the **Porsche oil category A40** (currently valid for all PORSCHE cars as of model year 1994 except Cayenne V6 PORSCHE Hybrid cars for longdrain and except all PORSCHE Diesel cars) to your motor oil

MIRR ALMA SUPER PLUS API SM SAE
Oil code: GMMO - 038

We will include your motor oil in the next issue of our "Technical Information Motor Oil".

This approval will expire on February 28, 2023, if no extension is requested before in good time.

This approval will expire before the end of the above mentioned period:

- if the approved formulation is changed
- if negative fields results are recorded
- for any reason if Porsche deems it necessary

You may inform your customers about this approval (Porsche "A40") in a descriptive, non-advertising manner in neutral typeface not larger than the one that is used to express the fulfilment of other manufacturers specifications. Any further reference to Porsche or the use of the crest and logotype of Porsche is strictly prohibited.

Yours sincerely,

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Advanced Engineering Powertrain Dept.

i. V. C. Romberg

i. A. H. P. Deeg

cc: PEG-S R. Klose

F.G.2004-12.04

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Headquarters: Stuttgart
Registered at:
Stuttgart Regional Court HRB-Nr. 730623

Chairman of the Supervisory Board:
Dr. Wolfgang Porsche
Honorary Chairman of the Supervisory Board:
Prof. Ferdinand Alexander Porsche (†)

Board: Matthias Müller, Chairman
Thomas Edig, Deputy Chairman
Oliver Blume, Wolfgang Hatz, Bernhard Maier,
Lutz Meschke, Uwe-Karsten Städter



Volvo Group Trucks Technology

STD 417-0002 approval request

Data supplied by requesting company

Company name:*	German Mirror Lubricants & Greases Co. Fze, UAE.
Brand name:*	MIRR TURBO PLUS DIESEL OIL API CI-4 SAE 15W40
Oil code:	GMDO - 019
Viscosity grade:	15W-40
Marketing area:	
Other approvals:	ACEA E7-08 API CI-4 OEM MB228.3, M3275-1, Deutz DQC III-10, Cummins CES20076/77, MTU 2

*) As they shall appear in approved products lists

Date of submission 20.09.2020

Submitted by

Name: Mr. Ronny Lobo
Company: German Mirror Lubricants & Greases Co. Fze, UAE.

Return approval to:

Name: Mr. Ronny Lobo
e-mail: ronny@germanmirror.com

Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

Approval date: October 18, 2020 **Approval #:** 417-0002-13-840

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date \pm two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

STD 417-0002 approval request

Data supplied by requesting company

Company name:*	German Mirror Lubricants & Greases Co. Fze, UAE.
Brand name:*	MIRR TURBO PLUS DIESEL OIL API CI-4 SAE 10W40
Oil code:	GMDO - 020
Viscosity grade:	10W-40
Marketing area:	
Other approvals:	ACEA E7-08
	API CI-4
	OEM MB228.3, M3275-1, Deutz DQC III-10

*) As they shall appear in approved products lists

Date of submission 20.09.2020

Submitted by

Name: Mr. Ronny Lobo
Company: German Mirror Lubricants & Greases Co. Fze, UAE.

Return approval to:

Name: Mr. Ronny Lobo
e-mail: ronny@germanmirror.com

Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

Approval date: October 18, 2020 **Approval #:** 417-0002-13-841

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date \pm two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Daimler AG - 70546 Stuttgart

German Mirror Lubricants & Greases
 Attn. Mrs. Lara M. Capalad
 IE-02 HAMRIYAH FREE ZONE
 42405 SHARJAH
 UNITED ARAB EMIRATES

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/
 Your reference
 05.02.2014

Unser Zeichen, unsere Nachricht vom/
 Our reference
 RD/PDI-F-44430

Name
 E-Mail
 Mrs. Fuchs

Datum/Date
 21.05.2014

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 229.3 for: "MIRR ALMA SUPER PLUS SAE 5W-40 API SM"

Oil-Code: LBB 14729-A, SAE-Grade: 5W-40

Reblend to LBB 14729-A with Oil-Code: LBB 14729-A, AFTON Chemical GmbH

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.


The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 06.04.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
 Daimler AG


 i.V. Fritz Kreitmann


 i.V. Dr. Oliver Storz